



# भारत का राजपत्र The Gazette of India

असाधारण  
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (1)  
PART II—Section 3—Sub-section (1)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं० 67]

नई दिल्ली, बुध्स्पतिवार, मार्च 8, 1984/फाल्गुन 18, 1905

No. 67]

NEW DELHI, THURSDAY, MARCH 8, 1984/PHALGUNA 18, 1905

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में  
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate  
compilation

ऊर्जा मंत्रालय  
(कोयला विभाग)

नियंत्रण

नई दिल्ली, 8 मार्च, 1984

सां० का० नि० 268(अ):—अनिवार्य वस्तु अधिनियम, 1955 (1955 का 10) की धारा 16 के साथ पठित धारा 3 द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार एतद्द्वारा कोलियरी नियंत्रण आदेश, 1945 में निम्नलिखित और संशोधन करती है, यथा:—

उक्त आदेश में,

(क) खंड 2 में उप-खंड (1) के बाद निम्नलिखित उप-खंड जोड़े जाएंगे, यथा:—

(1क) “कोककर कोयला” वह कोयला है जिसे कोयला खान (संरक्षण, सुरक्षा और विकास) अधिनियम, 1952 (1952 का 12) के अधीन भूतपूर्व कोयला बोर्ड ने कोककर कोयला घोषित किया है अथवा वह कोयला जिसे केन्द्रीय सरकार इस आदेश के अधीन अथवा कोयला खान (संरक्षण

और विकास) अधिनियम, 1974 (1974 का 28) और उसके अंतर्गत बनाए गए विनियमों के अधीन कोककर कोयला घोषित कर चुकी है अथवा घोषित कर सकती है ;

(1ख) “अर्द्ध-कोककर कोयला” और “बोकली कोककर कोयला” ऐसे कोयले हैं जो कोयला खान (संरक्षण, सुरक्षा और विकास) अधिनियम, 1952 (1952 का 12) के अधीन भूतपूर्व कोयला बोर्ड ने “मिश्रण योग्य कोयला” घोषित किए थे अथवा जिन्हें केन्द्रीय सरकार इस आदेश के अधीन “अर्द्ध कोककर” अथवा “बोकली कोककर कोयला” घोषित कर सकती है।

(ख) खंड 3 क में उप-खंड (2) के बाद निम्नलिखित उप-खंड जोड़े जाएंगे, यथा:—

(2क) कोयला नियंत्रक, कोलियरी के स्वामी, एजेंट अथवा प्रबन्धक द्वारा घोषित ग्रेड की जांच के उद्देश्य से किसी भी उपयुक्त समय पर किसी भी भूमिगत खान, स्टॉक, बैगन, ट्रक, कन्वेयर अथवा किसी भी अन्य प्रकार के परिवहन से नमूना ले सकते हैं।

भूतपूर्व आई और एस मंत्रालय अधिसूचना सं० 190  
दिनांक 5-9-1950, इस्पात खान और ईंधन मंत्रालय आदेश  
सं० सा. का. नि. सं० 353 दिनांक 21-3-1960 और

एम् और एफ० मंत्रालय आदेश सं० सा० का० नि० सं० 1672 दिनांक 26-11-1962 द्वारा यथा संशोधित ।

भूतपूर्व आई और एस मंत्रालय अधिसूचना सं० 190, दिनांक 5-9-1950 और उत्पादन मंत्रालय आदेश सा० का० नि० सं० 354 दिनांक 13-2-1956 द्वारा यथा संशोधित ।

भूतपूर्व आई और एस मंत्रालय अधिसूचना सं० 190 दिनांक 5-9-1950, इस्पात खान और ईंधन मंत्रालय आदेश सा. का. नि. सं० 353 दिनांक 21-3-1960 और आदेश सा. का. नि. सं० 801 दिनांक 7-6-1961 द्वारा संशोधित । [फा. सं० 11/4/61-सी आई]

भूतपूर्व इस्पात खान और ईंधन मंत्रालय आदेश सा० नि० सं० 353 दिनांक 21-3-1960 और एम और एफ मंत्रालय आदेश सा. का. नि. सं० 1672 दिनांक 26-11-1962 द्वारा यथा संशोधित ।

एम और एफ मंत्रालय आदेश सा. का. नि. सं० 1672 दिनांक 26-11-1962 द्वारा यथा संशोधित ।

भूतपूर्व आई और एस मंत्रालय अधिसूचना सं० 190 दिनांक 5-9-1960, उत्पादन मंत्रालय आदेश सा. का. नि. सं० 353 दिनांक 13-2-1956 और इस्पात खान और ईंधन मंत्रालय आदेश सा. का. नि. सं० 353 दिनांक 21-3-1960 और एम और एफ मंत्रालय आदेश सा. का. नि. सं० 1672 दिनांक 26-11-1962 द्वारा यथा संशोधित ।

भूतपूर्व डब्ल्यू पी और एस मंत्रालय अधिसूचना सं० 18-सी आई (19)/51 दिनांक 6-9-1951 द्वारा खंड 16 जोड़ा गया ।

भूतपूर्व खान और धातु मंत्रालय के आदेश सा. का. नि. सं० 353 दिनांक 8-3-1966 द्वारा खंड 17 जोड़ा गया ।

ऊर्जा मंत्रालय (कोयला विभाग) आदेश सा. का. नि. सं० 529 (ई) और 530 (ई) दोनों दिनांक 18 जुलाई, 1977 के साथ पठित आदेश सा० का० नि० सं० 491 (ई) दिनांक 12-9-1975 द्वारा खंड 12 छ जोड़ा गया ।

ऊर्जा मंत्रालय (कोयला विभाग) सा. का. नि. सं० 1211 दिनांक 29-9-1979 के साथ पठित आदेश सा. का. नि. सं० सा. आ. सं० 545 दिनांक 14-9-1979 द्वारा खंड 3क और खंड 2 का उपखंड 2 जोड़ा गया ।

ऊर्जा मंत्रालय (कोयला विभाग) आदेश सा० का० नि० सं० सा. आ. सं० 210 (ई) दिनांक 30-3-1982 द्वारा यथा संशोधित ।

ऊर्जा मंत्रालय (कोयला विभाग) के आदेश सा० का० नि. सं० सा. आ. सं० दिनांक 15-7-1983 द्वारा यथा संशोधित ।

## MINISTRY OF ENERGY

(Department of Coal)

### NOTIFICATION

New Delhi, the 8th March, 1984

G.S.R. 268(E).—In exercise of the powers conferred by section 3 read with section 16 of the Essential Commodities Act, 1955 (10 of 1955), the Central Government hereby makes the following further amendments to the Colliery Control Order, 1945, namely :—

In the said Order,

(a) in clause 2, after sub-clause (1), the following sub-clauses shall be inserted, namely :—

“(1A) “Coking Coal” is such coal as has been declared as coking coal by the erstwhile Coal Board under the Coal Mines (Conservation, Safety and Development) Act, 1952 (12 of 1952) or such coal as has been declared or may be declared as Coking Coal by the Central Government under this Order or the Coal Mines (Conservation and Development) Act, 1974 (28 of 1974) and regulations made thereunder”;

(1B) “Semi-coking coal” and “Weekly coking Coal” are such coal as were declared as “blendable coal” by the erstwhile Coal Board under the Coal Mines (Conservation, Safety and Development) Act, 1952 (12 of 1952) or as may be declared as “Semi-Coking” or “Weekly coking Coal” by the Central Government under this order”;

(b) in clause 3A, after sub-clause (2), the following sub-clauses shall be inserted, namely :—

“(2A) The Coal Controller may draw the samples from underground, stock, wagons, trucks, conveyor or any other mode of transport at any reasonable time for the purpose of checking the grade as declared by the owner, agent or manager of the Colliery”.

(2B) The owner, agent or manager of the Colliery will provide all reasonable

facilities for drawing samples as mentioned in sub-clause 2A.

(2C) If on physical verification, the grade does not conform to the grade as declared by the owner, agent or manager of the Colliery or if the Coal Controller has reasons to believe that the grade of coal, as declared by the owner, agent or manager of the colliery, is not correct or the grades declared by the owner, agent or manager of the Colliery are not sustainable, he may determine the grade as obtained by physical verification and direct the owner, agent, or manager of the Colliery to revise the grade to be effective from a date as directed by the Coal Controller.

(2D) The grade, so determined by the Coal Controller either as a settlement of a dispute or as a result of such verification, shall be final and binding.

(2E) Coal Controller may issue such directives as deemed fit for the purpose of declaration and maintenance of grades of seam(s) or sections of a seam mined in a Colliery.

(2F) If it comes to the knowledge of the Coal Controller that any Colliery declares the grade of any seam of which there is no valid permission for opening under clause 14, the Coal Controller may withdraw the grade the peon.

(c) in clause 3A, for sub-clause 3, the following sub-clause shall be substituted, namely :—

“(3) If the production or despatch of coal from a seam or section of a seam has stopped for a continuous period of 6 months for any reason whatsoever, the grade fixed for the seam or section of the seam shall stand withdrawn. The owner, agent or manager of the Colliery shall notify such withdrawal of grades in the manner as described by the Coal Controller”;

(d) in clause 3A, for sub-clause (5) the following sub-clause shall be substituted, namely :—

“If any dispute arises out of the declaration of grades and sizes of coal, the same shall be referred to the Coal Controller whose decision shall be binding on the owner, agent or manager of the Colliery. A memorandum of reference to the Coal Controller regarding such dispute shall be accompanied by such fees not exceeding Rs. 100 and in such manner as may be notified by the Coal Controller from time to time in the Official Gazette”.

[File No. 15013/5/82CRC]

P. K. LAHIRI, Jt. Secy.

Note :—As amended vide late Ministry of W. P. & S. Notification No. 18-01(194)/51 dt. 6-9-51; M/W. P & S. Notification No. 14-C1-(5)/51 dt. 1-4-52 and M/Production's Order No. S.R.O. 2946 dt. 26-11-56. [F. No. 18-C1(15)/56]

As amended vide late M/Production Order S.R.O. 2496 dated 25-10-56 [F. No. 18-C1(13)/56]; M/s. M.F. Order G.S.R. No. 353 dt. 21-3-60 [File No. 18-C1(1)/56] and M/M&F Order G.S.R. No. 1672 dt. 26-11-62 [File No. 11-10-61-C1].

As amended vide late M/Production Order No. S.R.O. 354 dt. 13-2-56 [File No. 18-C1(4)/56] and M/s. F.F. Order G.S.R. No. 353 dt. 21-3-60.

As amended vide late M/Production Notification S.R.O. No. 2692 dt. 7-11-56 and S.R.O. No. 3032 dt. 5-12-56 [File No. 4-C1(29)/56] and M/s. M. & F. Order G.S.R. No. 353 dt. 21-3-60.

As amended vide late M/Production Notification No. 349 No. 4-C1(7)/52 dt. 8-6-55 and M/SM&F Order No. G.S.R. 353 dt. 21-3-60.

As amended vide late M/I&S Notification No. 349 dt. 9-10-48; N/Prod. Order S.R.O. No. 354 dt. 13-2-56 and M/SM&F Order G.S.R. No. 353 dt. 21-3-60.

As amended vide late M/Production Order No. S.R.O. 354 dt. 13-2-56 and M/SM&F Order No. G.S.R. No. 353 dt. 21-3-60.

As amended vide late M/I&S Notification No. 190 dt. 5-9-50; M/SM&F Order G.S.R. 353 dt. 21-3-60 and M/M&F Order No. G.S.R. 1672 dt. 26-11-62.

As amended vide late M/I&S Notification No. 190 dt. 5-9-50; M/Production Order S.R.O. No. 354 dt. 13-2-56.

As amended vide late M/I&S Notification No. 190 dt. 5-9-50; M/SM&F Order G.S.R. No. 353 dt. 21-3-60 and Order G.S.R. No. 801 dt. 7-6-61 [File No. 11/1/61-C1].

As amended vide late M/SM&F Order G.S.R. 353 dt. 21-3-60 and M/M&F Order G.S.R. No. 1672 dt. 16-11-62.

As amended vide M/M&W Order G.S.R. No. 1672 dated 26-11-62.

As amended vide late M/I&S Notification No. 190 dt. 5-9-60; M/Production Order S.R.O. No. 353 dt. 13-2-56 and M/SM&F Order G.S.R. No. 353 dt. 21-3-60 and M/M&F Order G.S.R. No. 1672 dt. 26-11-62.

Clause 16 added vide late M/WP&S Notification No. 18-01(19)/51 dt. 6-9-1951.

Clause 17 added vide late M/Mines and Metals Order G.S.R. No. 383 dt. 8-3-66.

Clause 12G added vide Ministry of Energy (Deptt. of Coal); Order G.S.R. No. 491(E) dt. 12-9-75; read with Order G.S.R. No. 529E and 5308, both dated the 18th July, 1977.

Clause 3A and sub-clause 2 of clause 2 added, vide Ministry of Energy (Deptt. of Coal) Order G.S.R. S.O. No. 545 dt. 14-4-79 read with G.S.R. No. 1211 dt. 29-9-79.

As amended vide Ministry of Energy (Deptt. of Coal); Order G.S.R. S.O. No. 210(E) dated 30-3-1982.

As amended vide Ministry of Energy (Department of Coal Order G.S.R. S.O. No. dated the 15th July, 1983.

